



FOR RESIDENTIAL
& COMMERCIAL
INSTALLATIONS

 **WPG**

CATALOGUE

Premium Quality Products

www.wpgsystem.com.au



CONTENTS

- 01 SUSPENDED CEILING SYSTEM
- 05 NLB WALL SYSTEM
- 10 PROFILE FINISHING SYSTEM
- 13 TOP HATS & ANGLES
- 15 ACCESS PANELS
- 15 AAC PANEL INTALLATION SYSTEM
- 16 MISC

SUSPENDED CEILING SYSTEM


For residential & commercial installations




Code	Description	Length(MM)
CWPG-TCR36	TOP CROSS RAIL 25MM	3600
CWPG-TCR48	TOP CROSS RAIL 25MM	4800
CWPG-TCR60	TOP CROSS RAIL 25MM	6000



Code	Description	Length(MM)
CWPG-CB1660	CEILING BATTEN 16MM	6000



Code	Description	Length(MM)
CWPG-CB2260	CYCLONIC CEILING BATTEN 22MM	6000



Code	Description	Length(MM)
CWPG-FC1630	FURRING CHANNEL 16MM	3000
CWPG-FC1636	FURRING CHANNEL 16MM	3600
CWPG-FC1648	FURRING CHANNEL 16MM	4800
CWPG-FC1660	FURRING CHANNEL 16MM	6000



Code	Description	Length(MM)
CWPG-FC2830	FURRING CHANNEL 28MM	3000
CWPG-FC2836	FURRING CHANNEL 28MM	3600
CWPG-FC2848	FURRING CHANNEL 28MM	4800
CWPG-FC2860	FURRING CHANNEL 28MM	6000



Code	Description	Length(MM)
CWPG-FCT1630	FURRING CHANNEL TRACK 16MM	3000
CWPG-FCT2830	FURRING CHANNEL TRACK 28MM	3000



Code	Description	Length(MM)
CWPG-BBB0030	BACK BLOCKING BATTEN 36MM	300



Code	Description
CWPG-SMTC	TCR SUSPENSION CLIP SIDE MOUNTED



Code	Description
CWPG-TC	TCR SUSPENSION CLIP



Code	Description
CWPG-SRBP	SUSPENSION ROD BRACKET PLAIN



Code	Description
CWPG-SRBA-6G	SUSPENSION ROD BRACKET ANGLE 6G HOLE



Code	Description
CWPG-PLNCLP	PURLIN CLIP



Code	Description	Length(MM)
CWPG-SRSG536	SUSPENSION ROD GALVANIZED 5MM	3600



Code	Description
CWPG-DFS	CEILING BATTEN CLIP DIRECT FIX SHORT



Code	Description
CWPG-DFL	CEILING BATTEN CLIP DIRECT FIX LONG



Code	Description
CWPG-LK	LOCKING KEY



Code	Description
CWPG-BFCS	FURRING CHANNEL CLIP ADJUSTABLE SHORT
CWPG-BFCL	FURRING CHANNEL CLIP BETA FIX CLIP ADJUSTABLE LONG



Code	Description
CWPG-ADFLBF	FURRING CHANNEL CLIP ADJUSTABLE LONG BASE - LONG
CWPG-ADFNBF	FURRING CHANNEL CLIP ADJUSTABLE LONG BASE - MEDIUM
CWPG-ADFMBF	FURRING CHANNEL CLIP ADJUSTABLE LONG BASE - SHORT



Code	Description
CWPG-DFLK	FURRING CHANNEL CLIP - DIRECT FIX




Code	Description
CWPG-ADFLK	FURRING CHANNEL CLIP DIRECT FIX THREADED M6




Code	Description
CWPG-ACS	FURRING CHANNEL CLIP DIRECT FIX SHORT
CWPG-ACL	FURRING CHANNEL CLIP DIRECT FIX LONG




Code	Description
CWPG-ADFRB	FURRING CHANNEL CLIP DIRECT FIX ADJUSTABLE RESILIENT MOUNT BLACK



Code	Description
CWPG-ADFRR	FURRING CHANNEL CLIP DIRECT FIX ADJUSTABLE RESILIENT MOUNT RED



Code	Description
CWPG-CRMR	FURRING CHANNEL CLIP DIRECT FIX RESILIENT MOUNT



Code	Description
CWPG-CRMR-K	FURRING CHANNEL CLIP TO TCR RESILIENT MOUNT

NLB WALL SYSTEM

For residential & commercial installations




Code	Description	Length(MM)
CWPG-S5130055	STUD 51MM x 0.55 BMT	3000
CWPG-S5136055	STUD 51MM x 0.55 BMT	3600
CWPG-S6424055	STUD 64MM x 0.55 BMT	2400
CWPG-S6427055	STUD 64MM x 0.55 BMT	2700
CWPG-S6430055	STUD 64MM x 0.55 BMT	3000
CWPG-S6436055	STUD 64MM x 0.55 BMT	3600
CWPG-S6442055	STUD 64MM x 0.55 BMT	4200
CWPG-S6448055	STUD 64MM x 0.55 BMT	4800
CWPG-S6460055	STUD 64MM x 0.55 BMT	6000
CWPG-S7624055	STUD 76MM x 0.55 BMT	2400
CWPG-S7627055	STUD 76MM x 0.55 BMT	2700
CWPG-S7630055	STUD 76MM x 0.55 BMT	3000
CWPG-S7636055	STUD 76MM x 0.55 BMT	3600
CWPG-S7642055	STUD 76MM x 0.55 BMT	4200
CWPG-S7648055	STUD 76MM x 0.55 BMT	4800




Code	Description	Length(MM)
CWPG-S7660055	STUD 76MM x 0.55 BMT	6000
CWPG-S9224055	STUD 92MM x 0.55 BMT	2400
CWPG-S9227055	STUD 92MM x 0.55 BMT	2700
CWPG-S9230055	STUD 92MM x 0.55 BMT	3000
CWPG-S9236055	STUD 92MM x 0.55 BMT	3600
CWPG-S9242055	STUD 92MM x 0.55 BMT	4200
CWPG-S9248055	STUD 92MM x 0.55 BMT	4800
CWPG-S9260055	STUD 92MM x 0.55 BMT	6000
CWPG-S5130075	STUD 51MM x 0.75 BMT	3000
CWPG-S6430075	STUD 64MM x 0.75 BMT	3000
CWPG-S6436075	STUD 64MM x 0.75 BMT	3600
CWPG-S6448075	STUD 64MM x 0.75 BMT	4800
CWPG-S7627075	STUD 76MM x 0.75 BMT	2700
CWPG-S7630075	STUD 76MM x 0.75 BMT	3000
CWPG-S7636075	STUD 76MM x 0.75 BMT	3600
CWPG-S7642075	STUD 76MM x 0.75 BMT	4200
CWPG-S7648075	STUD 76MM x 0.75 BMT	4800
CWPG-S9227075	STUD 92MM x 0.75 BMT	2700
CWPG-S9230075	STUD 92MM x 0.75 BMT	3000
CWPG-S9236075	STUD 92MM x 0.75 BMT	3600
CWPG-S9242075	STUD 92MM x 0.75 BMT	4200
CWPG-S9248075	STUD 92MM x 0.75 BMT	4800
CWPG-S9260075	STUD 92MM x 0.75 BMT	6000
CWPG-S15030075	STUD 150MM x 0.75 BMT	3000
CWPG-S15036075	STUD 150MM x 0.75 BMT	3600



Code	Description	Length(MM)
CWPG-S15048075	STUD 150MM x 0.75 BMT	4800
CWPG-S15060075	STUD 150MM x 0.75 BMT	6000
CWPG-S5130115	STUD 51MM x 1.15 BMT	3000
CWPG-S6427115	STUD 64MM x 1.15 BMT	2700
CWPG-S6430115	STUD 64MM x 1.15 BMT	3000
CWPG-S6436115	STUD 64MM x 1.15 BMT	3600
CWPG-S9236115	STUD 92MM x 1.15 BMT	3600
CWPG-S9242115	STUD 92MM x 1.15 BMT	4200
CWPG-S9248115	STUD 92MM x 1.15 BMT	4800
CWPG-S9260115	STUD 92MM x 1.15 BMT	6000
CWPG-S9272115	STUD 92MM x 1.15 BMT	7200
CWPG-S15036115	STUD 150MM x 1.15 BMT	3600
CWPG-S15048115	STUD 150MM x 1.15 BMT	4800
CWPG-S15060115	STUD 150MM x 1.15 BMT	6000
CWPG-S15072115	STUD 150MM x 1.15 BMT	7200




Code	Description	Length(MM)
CWPG-QS9230	ACOUSTIC STUD 92MM x 0.55 BMT	3000
CWPG-QS9236	ACOUSTIC STUD 92MM x 0.55 BMT	3600




Code	Description	Length(MM)
CWPG-T5130055	TRACK 51MM x 0.55 BMT	3000
CWPG-T6430055	TRACK 64MM x 0.55 BMT	3000
CWPG-T7630055	TRACK 76MM x 0.55 BMT	3000
CWPG-T9230055	TRACK 92MM x 0.55 BMT	3000



Code	Description	Length(MM)
CWPG-T5130075	TRACK 51MM x 0.75 BMT	3000
CWPG-T6430075	TRACK 64MM x 0.75 BMT	3000
CWPG-T7630075	TRACK 76MM x 0.75 BMT	3000
CWPG-T9230075	TRACK 92MM x 0.75 BMT	3000
CWPG-T15030075	TRACK 150MM x 0.75 BMT	3000
CWPG-T5130115	TRACK 51MM x 1.15 BMT	3000
CWPG-T6430115	TRACK 64MM x 1.15 BMT	3000
CWPG-T7630115	TRACK 76MM x 1.15 BMT	3000
CWPG-T9230115	TRACK 92MM x 1.15 BMT	3000
CWPG-T15030115	TRACK 150MM x 1.15 BMT	3000



Code	Description	Length(MM)
CWPG-DT6430055	DEFLECTION HEAD TRACK 64MM x 0.55 BMT	3000
CWPG-DT7630055	DEFLECTION HEAD TRACK 76MM x 0.55 BMT	3000
CWPG-DT9230055	DEFLECTION HEAD TRACK 92MM x 0.55 BMT	3000
CWPG-DT5130075	DEFLECTION HEAD TRACK 51MM x 0.75 BMT	3000
CWPG-DT6430075	DEFLECTION HEAD TRACK 64MM x 0.75 BMT	3000
CWPG-DT7630075	DEFLECTION HEAD TRACK 76MM x 0.75 BMT	3000
CWPG-DT9230075	DEFLECTION HEAD TRACK 92MM x 0.75 BMT	3000
CWPG-DT15030075	DEFLECTION HEAD TRACK 150MM x 0.75 BMT	3000
CWPG-DT9230115	DEFLECTION HEAD TRACK 92MM x 1.15 BMT	3000
CWPG-DT15030115	DEFLECTION HEAD TRACK 150MM x 1.15 BMT	3000



Code	Description	Length(MM)
CWPG-NT643007545	NOGGING TRACK 64MM x 0.75 BMT 450MM CENTRES	3000
CWPG-NT643607545	NOGGING TRACK 64MM x 0.75 BMT 450MM CENTRES	3600
CWPG-NT763007545	NOGGING TRACK 76MM x 0.75 BMT 450MM CENTRES	3000
CWPG-NT763607545	NOGGING TRACK 76MM x 0.75 BMT 450MM CENTRES	3600
CWPG-NT923007545	NOGGING TRACK 92MM x 0.75 BMT 450MM CENTRES	3000
CWPG-NT923607545	NOGGING TRACK 92MM x 0.75 BMT 450MM CENTRES	3600
CWPG-NT1503007545	NOGGING TRACK 150MM x 0.75 BMT 450MM CENTRES	3000
CWPG-NT1503607545	NOGGING TRACK 150MM x 0.75 BMT 450MM CENTRES	3600
CWPG-NT643007560	NOGGING TRACK 64MM x 0.75 BMT 600MM CENTRES	3000
CWPG-NT643607560	NOGGING TRACK 64MM x 0.75 BMT 600MM CENTRES	3600
CWPG-NT763007560	NOGGING TRACK 76MM x 0.75 BMT 600MM CENTRES	3000
CWPG-NT763607560	NOGGING TRACK 76MM x 0.75 BMT 600MM CENTRES	3600
CWPG-NT923007560	NOGGING TRACK 92MM x 0.75 BMT 600MM CENTRES	3000
CWPG-NT923607560	NOGGING TRACK 92MM x 0.75 BMT 600MM CENTRES	3600
CWPG-NT1503007560	NOGGING TRACK 150MM x 0.75 BMT 600MM CENTRES	3000
CWPG-NT1503607560	NOGGING TRACK 150MM x 0.75 BMT 600MM CENTRES	3600



Code	Description	Length(MM)
CWPG-SDT6430075	SLOTTED DEFLECTION HEAD TRACK 64MM x 0.75 BMT	3000
CWPG-SDT7630075	SLOTTED DEFLECTION HEAD TRACK 76MM x 0.75 BMT	3000
CWPG-SDT9230075	SLOTTED DEFLECTION HEAD TRACK 92MM x 0.75 BMT	3000
CWPG-SDT15030075	SLOTTED DEFLECTION HEAD TRACK 150MM x 0.75 BMT	3000
CWPG-SDT92300115	SLOTTED DEFLECTION HEAD TRACK 92MM x 1.15 BMT	3000
CWPG-SDT15030115	SLOTTED DEFLECTION HEAD TRACK 150MM x 1.15 BMT	3000

PROFILE FINISHING SYSTEM

For residential & commercial installations



Code	Description	Length(MM)
CWPG-EA9024	90 ° EXTERNAL ANGLE - CORNER BEAD	2400
CWPG-EA9025	90 ° EXTERNAL ANGLE - CORNER BEAD	2550
CWPG-EA9027	90 ° EXTERNAL ANGLE - CORNER BEAD	2700
CWPG-EA9030	90 ° EXTERNAL ANGLE - CORNER BEAD	3000
CWPG-EA9036	90 ° EXTERNAL ANGLE - CORNER BEAD	3600



Code	Description	Length(MM)
CWPG-EA13530	135 ° EXTERNAL ANGLE - CORNER BEAD	3000



Code	Description	Length(MM)
CWPG-IA9030	90 ° INTERNAL ANGLE - CORNER BEAD	3000



Code	Description	Length(MM)
CWPG-IA13530	135 ° INTERNAL ANGLE - CORNER BEAD	3000



Code	Description	Length(MM)
CWPG-LBSA1030	L/B STOPPING ANGLE 10MM	3000
CWPG-LBSA1330	L/B STOPPING ANGLE 13MM	3000
CWPG-LBSA1630	L/B STOPPING ANGLE 16MM	3000



Code	Description	Length(MM)
CWPG-LBSA2030	L/B STOPPING ANGLE 20MM	3000
CWPG-LBSA2530	L/B STOPPING ANGLE 25MM	3000
CWPG-LBSA3030	L/B STOPPING ANGLE 32MM	3000



Code	Description	Length(MM)
CWPG-SB1030	STOPPING BEAD 10MM	3000
CWPG-SB1330	STOPPING BEAD 13MM	3000
CWPG-SB1630	STOPPING BEAD 16MM	3000



Code	Description	Length(MM)
CWPG-CB1030	CASING BEAD 10MM	3000
CWPG-CB1330	CASING BEAD 13MM	3000
CWPG-CB1630	CASING BEAD 16MM	3000



Code	Description	Length(MM)
CWPG-SLSA30	ANGLE STOPPING SHADOWLINE	3000



Code	Description	Length(MM)
CWPG-RB2530	REVEAL BEAD 25MM	3000
CWPG-RB2536	REVEAL BEAD 25MM	3600
CWPG-RB3030	REVEAL BEAD 30MM	3000
CWPG-RB3036	REVEAL BEAD 30MM	3600
CWPG-RB3530	REVEAL BEAD 35MM	3000
CWPG-RB3536	REVEAL BEAD 35MM	3600
CWPG-RB4030	REVEAL BEAD 40MM	3000




Code	Description	Length(MM)
CWPG-RB4036	REVEAL BEAD 40MM	3600
CWPG-RB4530	REVEAL BEAD 45MM	3000
CWPG-RB4536	REVEAL BEAD 45MM	3600
CWPG-RB5030	REVEAL BEAD 50MM	3000
CWPG-RB5036	REVEAL BEAD 50MM	3600
CWPG-RB5530	REVEAL BEAD 55MM	3000
CWPG-RB5536	REVEAL BEAD 55MM	3600
CWPG-RB6030	REVEAL BEAD 60MM	3000
CWPG-RB6036	REVEAL BEAD 60MM	3600
CWPG-RB6530	REVEAL BEAD 65MM	3000
CWPG-RB6536	REVEAL BEAD 65MM	3600
CWPG-RB7030	REVEAL BEAD 70MM	3000
CWPG-RB7036	REVEAL BEAD 70MM	3600
CWPG-RB7530	REVEAL BEAD 75MM	3000
CWPG-RB7536	REVEAL BEAD 75MM	3600
CWPG-RB8030	REVEAL BEAD 80MM	3000
CWPG-RB8036	REVEAL BEAD 80MM	3600
CWPG-RB8530	REVEAL BEAD 85MM	3000
CWPG-RB8536	REVEAL BEAD 85MM	3600
CWPG-RB9030	REVEAL BEAD 90MM	3000
CWPG-RB9036	REVEAL BEAD 90MM	3600
CWPG-RB10030	REVEAL BEAD 100MM	3000
CWPG-RB10036	REVEAL BEAD 100MM	3600
CWPG-RB11030	REVEAL BEAD 110MM	3000
CWPG-RB11036	REVEAL BEAD 110MM	3600




Code	Description	Length(MM)
CWPG-RB12030	REVEAL BEAD 120MM	3000
CWPG-RB12036	REVEAL BEAD 120MM	3600
CWPG-RB13030	REVEAL BEAD 130MM	3000
CWPG-RB13036	REVEAL BEAD 130MM	3600
CWPG-RB15030	REVEAL BEAD 150MM	3000

TOP HATS & ANGLES

For residential & commercial installations




Code	Description	Length(MM)
CWPG-TH50153675	TOP HAT 50MM x 15MM x 0.75 BMT	3600
CWPG-TH50156075	TOP HAT 50MM x 15MM x 0.75 BMT	6000
CWPG-TH50253675	TOP HAT 50MM x 25MM x 0.75 BMT	3600
CWPG-TH50254875	TOP HAT 50MM x 25MM x 0.75 BMT	4800
CWPG-TH50256075	TOP HAT 50MM x 25MM X 0.75 BMT	6000
CWPG-TH50353675	TOP HAT 50MM x 35MM x 0.75 BMT	3600
CWPG-TH50354875	TOP HAT 50MM x 35MM x 0.75 BMT	4800
CWPG-TH50356075	TOP HAT 50MM x 35MM x 0.75 BMT	6000
CWPG-TH50503675	TOP HAT 50MM x 50MM x 0.75 BMT	3600
CWPG-TH50504875	TOP HAT 50MM x 50MM x 0.75 BMT	4800
CWPG-TH50506075	TOP HAT 50MM x 50MM x 0.75 BMT	6000
CWPG-TH501536115	TOP HAT 50MM x 15MM x 1.15 BMT	3600
CWPG-TH501560115	TOP HAT 50MM x 15MM x 1.15 BMT	6000
CWPG-TH502536115	TOP HAT 50MM x 25MM x 1.15 BMT	3600
CWPG-TH502560115	TOP HAT 50MM x 25MM x 1.15 BMT	6000
CWPG-TH503536115	TOP HAT 50MM x 35MM x 1.15 BMT	3600




Code	Description	Length(MM)
CWPG-TH5035600115	TOP HAT 50MM x 35MM x 1.15 BMT	6000
CWPG-TH505036115	TOP HAT 50MM x 50MM x 1.15 BMT	3600
CWPG-TH505060115	TOP HAT 50MM x 50MM x 1.15 BMT	6000



Code	Description	Length(MM)
CWPG-HWT-HAG5023	BULK ANGLE HDG 50MM x 50MM x 2 BMT	3000
CWPG-HWT-HAG10023	BULK ANGLE HDG 50MM x 100MM x 2 BMT	3000
CWPG-HWT-HAG7533	BULK ANGLE HDG 75MM x 75MM x 3 BMT	3000



Code	Description	Length(MM)
CWPG-BA2036055	BULK ANGLE 20MM x 20MM x 0.55 BMT	3600
CWPG-BA3530055	BULK ANGLE 35MM x 35MM x 0.55 BMT	3000
CWPG-BA3536055	BULK ANGLE 35MM x 35MM x 0.55 BMT	3600
CWPG-BA2536075	BULK ANGLE 25MM x 25MM x 0.75 BMT	3600
CWPG-BA3530075	BULK ANGLE 35MM x 35MM x 0.75 BMT	3000
CWPG-BA3536075	BULK ANGLE 35MM x 35MM x 0.75 BMT	3600
CWPG-BA5024075	BULK ANGLE 50MM x 50MM x 0.75 BMT	2400
CWPG-BA5030075	BULK ANGLE 50MM x 50MM x 0.75 BMT	3000
CWPG-BA5036075	BULK ANGLE 50MM x 50MM x 0.75 BMT	3600
CWPG-BA35360115	BULK ANGLE 35MM x 35MM x 1.15 BMT	3600
CWPG-BA5024115	BULK ANGLE 50MM x 50MM x 1.15 BMT	2400
CWPG-BA5030115	BULK ANGLE 50MM x 50MM x 1.15 BMT	3000



Code	Description
CWPG-IA2824030	90° INTERNAL CORNER ANGLE 28MM x 2400MM x 0.3 BMT

ACCESS PANELS

For residential & commercial installations



Code	Description
CWPG-AP30S	ACCESS PANEL SET BEAD METAL FACE DOOR 300 x 300MM
CWPG-AP45S	ACCESS PANEL SET BEAD METAL FACE DOOR 450 x 450MM
CWPG-AP56S	ACCESS PANEL SET BEAD METAL FACE DOOR 560 x 560MM
CWPG-AP60S	ACCESS PANEL SET BEAD METAL FACE DOOR 600 x 600MM



Code	Description
CWPG-AP45F	ACCESS PANEL SRAP-FLANGED SURROUND FEATHERED EDGE 450 x 450MM
CWPG-AP56F	ACCESS PANEL SRAP-FLANGED SURROUND FEATHERED EDGE 560 x 560MM
CWPG-AP60F	ACCESS PANEL SRAP-FLANGED SURROUND FEATHERED EDGE 600 x 600MM

AAC PANEL INTALLATION SYSTEM

For residential & commercial installations




Code	Description	Length(MM)
CWPG-WB163655	CAVITY BATTEN 16MM x 0.55 BMT	3600
CWPG-WB253655	CAVITY BATTEN 25MM x 0.55 BMT	3600
CWPG-WB353655	CAVITY BATTEN 35MM x 0.55 BMT	3600




Code	Description	Length(MM)
CWPG-WB254855	CAVITY BATTEN 25MM x 0.55 BMT PREFABRICATED	4800
CWPG-WB354855	CAVITY BATTEN 35MM x 0.55 BMT PREFABRICATED	4800



Code	Description	Length(MM)
CWPG-SBA50507524	SLOTTED BASE ANGEL 50MM x 50MM x 0.75 BMT	2400



Code	Description	Length(MM)
CWPG-STA507511527	SLOTTED TOP ANGEL 50MM x 75MM x 1.15 BMT	2700



Code	Description	Length(MM)
CWPG-SI5136	H STUD 51MM x 35MM x 0.55 BMT	3600

MISC

For residential & commercial installations



Code	Description
CWPG-CMRSH	CLIP MAIN RUNNER SUSPENSION HOOK



Code	Description
CWPG-WAB188	WALL ANGLE BRACKET



Code	Description
CWPG-NGBF18	NOGGING BRACKET FULL 18MM




Code	Description
CWPG-DBT8050	DROPPER BRACKET 80MM x 50MM x 3MM



Code	Description
CWPG-UBT6033	UNIVERSAL BRACKET 60MM x 33MM x 2MM



Code	Description
CWPG-WAB8035	WALL ANGLE BRACKET 80MM x 35MM x 2MM



Code	Description
CWPG-SPT8236115	SP TRACK 82MM x 3600MM x 1.15 BMT



© Copyright WPG 2024 All rights reserved.